

BS 18-A COMPACT BATTERY-OPERATED DRIVER DRILL



Properties:

Ease of handling: Endurance: Power:

Scope of delivery			
Designation	Art. No.	P. Qty. Art. No. 5700 500 2	P. Qty. Art. No. 5700 500 01
BS 18-A Compact Battery-Operated Driver Drill	5700 500 X	1	1
LI CV 18 V/4.0 Ah Battery	0700 916 532	2	-
Charging Unit AL 30-CV-LI	0700 816	1	-
Bit Box, Empty	0614 250 110	1	_
Bit Holder with quick-change chuck	0614 176 711	1	_
2 x AW20, 2 x AW30, 2 x PZ2, PZ3, PH2 Bits	0614	1	_
Case Insert	5800 400 995	1	1
ORSY 200 Empty Case	0955 702 1	1	1

Technical Data			
Voltage		18 V	
Battery capacity		4.0 Ah	
Idling speed in 1st/2nd speed		0-500/1,700 rpm	
Max. torque (soft/hard screwing situation)		28/67 Nm	
Max. screw dia.		8 mm	
Max. drilling diameter in	Steel	13 mm	
	Wood	35 mm	
Chuck clamping range		1.5-13 mm	
Dimensions (Length x Height)		185 x 248 mm	
Weight incl. battery		1.8 kg	

Lightweight, powerful lithium ion battery-powered driver drill for all medium-heavy tightening and drilling tasks.

With two 18-volt batteries, charger and fully equipped bit box in case. Art. No. 5700 500 2

In case, without charging unit and rechargeable batteries. Art. No. 5700 500 01

Very compact and ergonomic design with low weight and belt clip.

For pleasant, low-fatigue working.

With 4.0 Ah lithium-ion battery packs

Long running time per battery charge. The practical battery charge indicator provides information at all times on the energy reserves still available.

Four-pole motor

Similar to 4-wheel drive, better distribution of force than with ordinary two-pole motor.

Overload protection

Prevents damage to motor and battery caused by overloading.

LED lamp on battery base

The working area is always well lit. No shadows are caused by chuck.

Compatible with current 18 V **battery system**

3-year guarantee

On manufacturing and material defects.