

CHEESE-HEAD SCREWS WITH ALLEN HEAD

ISO 4762

Replaces DIN 912

Nominal dia. d	Length I in mm	Steel 10.9 bare	P. qty.	Galv. steel 10.9 blue passivated Art. No.	P. qty.	Galv. steel 10.9 yellow passivated Art. No.	P. qty.
	55	Art. No. 0080 12 55	100	0108 12 55	100	0108 912 55	100
	60	0080 12 60	100	0108 12 53	100	0108 912 33	100
	65	0080 12 65	50	0108 12 65	50		
	70	0080 12 70	50	0108 12 70	50		
	75	0080 12 75	50	0108 12 75	50		
	80	0080 12 73	50	0108 12 80	50		
	85	0080 12 85	50	0108 12 85	50		
	90		50		50	0109 012 00	100
	95	0080 12 90 0080 12 95	50	0108 12 90	50	0108 912 90	100
M 12	100	0080 12 100	50	0108 12 95 0108 12 100	100		
	105	0080 12 100	30		100		
		0000 10 110	50	0108 12 105			
	110	0080 12 110	50	0108 12 110	50	0100 010 115	50
	115	0080 12 115	50	0100 10 100	50	0108 912 115	50
	120	0080 12 120	50	0108 12 120	50		
	125	0080 12 125	50				
	130	0080 12 130	50	0108 12 130	50		
	135	0080 12 135	50	0108 12 135	50		
	140	0080 12 140	25	0108 12 140	50		
	150	0080 12 150	25	0108 12 150	50		
	160	0080 12 160	25	0108 12 160	50		
	165			0108 12 165	50		
	170	0080 12 170	25	0108 12 170	25		
	180	0080 12 180	25	0108 12 180	10		
	190	0080 12 190	50				
	200	0080 12 200	25	0108 12 200	50		
	210	0080 12 210	25	0108 12 210	25		
	220	0080 12 220	25	0108 12 220	50		
	230	0080 12 230	25	0108 12 230	50		
	240	0080 12 240	25	0108 12 240	25		
	250	0080 12 250	25				
	260	0080 12 260	25	0108 12 260	25		
	270	0080 12 270	25				
	280	0080 12 280	25				
	290	0080 12 290	50				
	300	0080 12 300	25				
	320	0080 12 320	50				
	340	0080 12 340	10				
M 14	20	0080 14 20	100				
	22	0080 14 22	100				
	25	0080 14 25	100	0108 14 25	50		
	30	0080 14 30	100	0108 14 30	100		
	35	0080 14 35	100	0108 14 35	100		
	40	0080 14 40	100	0108 14 40	100		
	45	0080 14 45	50	0108 14 45	100		
	50	0080 14 50	50	0108 14 50	50		
	55	0080 14 55	50	0108 14 55	50		
	60	0080 14 60	50	0108 14 60	50		
	65	0080 14 65	50	010017-70	50		
	70	0080 14 70	50	0108 14 70	50		
	75	0080 14 75	25				
	80	0080 14 80	50	0108 14 80	50		
	85	0080 14 85	50				
	90	0080 14 90	50	0108 14 90	50		
	95	0080 14 95	50				
	100	0080 14 100	50	0108 14 100	50		
	105	0080 14 105	50				
	110	0080 14 110	50				
	115			0108 14 115	50		
	120	0080 14 120	50	0108 14 120	50		
	125	0080 14 125	50				
	130	0080 14 130	25	0108 14 130	25		
	135	0080 14 135	50				
	140	0080 14 140	25	0108 14 140	50		
	145	0080 14 145	25				
	150	0080 14 150	25	0108 14 150	25		