

Blade Contacts/Flat Plugs, Various

* for Single-Wire Seals

ORSY	mm ²	Insul. dia. in mm	Seal dia. in mm	Plug in mm	Locking lug	Material	Surface	Art. No.	P. Qty.
	0.5 - 1.0	–	–	1.5	–	CuSn	Sn (tinned)	0558 994 0	100
	0.5 - 1.0	1.2 - 2.1	3.40	1.5 x 0.8	1 x	CuZn	Sn (tinned)	0558 995 4*	
	0.5 - 1.0	1.2 - 2.1	–	1.5	1 x	CuSn		0558 190 34	
	0.5 - 1.0	1.2 - 2.1	3.40	1.5	1 x			0558 995 41*	
	0.35 - 0.5	1.2 - 1.6	3.40	1.5	–	CuSn	Sn (tinned)	0558 995 80*	
	0.75 - 1.5	1.7 - 2.4	3.40	1.5	–			0558 995 82*	
	1.5 - 2.5	2.2 - 3.3	3.40	1.5	–			0558 995 84*	
	0.35 - 0.5	1.2 - 1.6	3.40	1.5 x 0.8	–	CuZn		0558 995 79*	
	0.75 - 1.5	1.7 - 2.4	3.40	1.5 x 0.8	–			0558 995 81*	
	1.5 - 2.5	2.2 - 3.3	3.40	1.5 x 0.8	–			0558 995 83*	
	0.5 - 1.25	2.0 - 2.6	–	1.7	–	CuZn	Sn (tinned)	0558 190 36	
	0.5 - 1.25	2.0 - 2.6	–	1.7 x 0.65	–			0558 190 41	
	0.5 - 1.25	2.0 - 2.6	2.90	1.7	–			0558 190 35*	
	0.5 - 1.25	2.0 - 2.6	2.90	1.7 x 0.65	–			0558 190 42*	
	0.5 - 1.25	1.6 - 2.5	–	2.3	–	CuZn	Sn (tinned)	0558 190 33	
	0.5 - 1.25	1.6 - 2.9	–	2.3 x 0.65	–			0558 190 40	
	0.35 - 0.75	1.5 - 2.6	–	3.0	–	CuZn	Sn (tinned)	0558 190 310	
	0.75 - 1.75	2.1 - 3.4	–	3.0	–			0558 190 311	
	0.35 - 0.75	1.5 - 2.6	–	3.0 x 0.65	–			0558 995 74	
	0.75 - 1.75	2.2 - 3.4	–	3.0 x 0.65	–			0558 995 75	
	0.5 - 1.0	1.4 - 2.3	–	2.8 x 0.8	1 x	CuSn	Sn (tinned)	0558 995 70	
	1.5 - 2.5	2.3 - 3.5	–	2.8 x 0.8	1 x			0558 995 71	
	0.5 - 1.0	–	–	2.8 x 0.8	1 x			0558 992 4	
	0.5 - 1.0	1.2 - 2.1	3.40	2.8 x 0.8	1 x			0558 995 8*	
	1.0 - 2.5	1.9 - 3.0	6.00	4.8 x 0.8	1 x			0558 994 5*	
	1.0 - 2.5	2.1 - 2.9	3.40	2.8	2 x			0558 190 56*	

Additional products – recommendation:

Releasing Tool
Releasing Tool for Art. No. 0558 190 56
Single-Wire Seals

Art. No. 0713 558 2..
Art. No. 0713 558 342, 0713 558 343
Art. No. 0558 991 4..