

INFORMATION ON SABRE SAW BLADES

					7,		0,9 mm
Material	Quality	Art. no.	PU/Qty.		Tooth pitch in mm and inches	Total length in mm and inches	Thickness in mm
Wood	* *	0615 815 030 0615 815 031	1=5 1=25	Art. 615 815 920 *****	3.6-5.1 5-7 tpi	150 6"	1.25
		0615 820 340 0615 820 341	1=5 1=25	An. 615 820 340 Multiblade ***	2-4 6-10 tpi	200 8″	1.25
	*	0608 030 21	1=5	Art. 405 000 21 *** **	4.0 6 tpi	305 12"	1.25
		0608 030 22	1=5	A-1. 400 020 22 *** **	4.0 6 tpi	150 6″	1.25
		0608 030 25	1=5	An. 608 030 25 **	5.0 5 tpi	240 10"	1.50
		0615 830 040	1=5	Art. 615 830 040 ***	3.6/5.1 5/7 tpi	305 12"	1.25
		0615 822 842	1=5	Art. 615.822.842 ************************************	3.6-5.1 5-7 tpi	228 9″	1.25
	*	0608 030 19	1=5	Arr. 608 030 19 arrange *	8.5 3 tpi	150 6″	1.25
Metal	* * *	0615 915 029	1=5	• Art. 615 915 029 - Demolition ***	2.5/3.2 8/10 tpi	150 6″	1.6
		0615 915 030 0615 915 031	1=5 1=25	• AH. 613 913 030	1.7-3 8-14 tpi	150 6″	0.9
		0615 915 148	1=5	A-1, 00/13 1/15 146	1.4+1.8 14+18 tpi	150 6″	1.1
		0615 915 253	1=5	An 0013 915 203 ***	2.5+3.2 8+10 tpi	150 6″	1.1
		0615 920 314	1=5	• Art. 615 920 314	1.4 18 tpi	200 8″	1.25
		0615 920 318 0615 920 319	1=5 1=25	• Art. 615 920 218	1.8 14 tpi	200 8″	1.25
		0615 920 326 0615 920 327	1=5 1=25	• Art. 615 920 326	1.8/2.6 10/14 tpi	200 8"	1.25
		0615 922 148	1=5	ALSHITYZZINE CONSTITUTE WAR	1.4+1.8 14+18 tpi	228 9"	1.1
		0615 922 253	1=5	**** ***	2.5+3.2 8+10 tpi	228 9″	1.1
		0615 922 829	1=5	• Art. 615 922 229 - Demolition ***	2.5/3.2 8/10 tpi	228 9″	1.6
		0615 930 148	1=5	AND SHEED OF A SPECIAL TO SHEED THE SPECIAL SP	1.4+1.8 14+18 tpi	305 12"	1.1
		0615 930 253	1=5	An SHIS 920 2021 SPEED ***	2.5+3.2 8+10 tpi	305 12"	1.1
	*	0615 910 010	1=5	• M. ATZ TERRITO ***	1.0 24 tpi	100 4"	0.9