



Available versions:

Assortment 1 **Art. No. 0420 1**

920 pieces from 8 x 14 to 22 x 32 mm dia.
with the following contents:

Dimensions in mm	Art. No.	P/Qty.
8 x 14 x 0.3	0420 8 143	50
8 x 14 x 0.5	0420 8 145	40
8 x 14 x 1.0	0420 8 141	25
10 x 20 x 0.3	0420 10 203	50
10 x 20 x 0.5	0420 10 205	40
10 x 20 x 1.0	0420 10 201	25
12 x 24 x 0.3	0420 12 243	50
12 x 24 x 0.5	0420 12 245	40
12 x 24 x 1.0	0420 12 241	25
14 x 24 x 0.3	0420 14 243	50
14 x 24 x 0.5	0420 14 245	40
14 x 24 x 1.0	0420 14 241	25

Dimensions in mm	Art. No.	P/Qty.
16 x 25 x 0.3	0420 16 263	50
16 x 26 x 0.5	0420 16 265	40
16 x 26 x 1.0	0420 16 261	25
18 x 30 x 0.3	0420 18 303	50
18 x 30 x 0.5	0420 18 305	40
18 x 30 x 1.0	0420 18 301	25
20 x 32 x 0.3	0420 20 323	50
20 x 32 x 0.5	0420 20 325	40
20 x 32 x 1.0	0420 20 321	25
22 x 32 x 0.3	0420 22 323	50
22 x 32 x 0.5	0420 22 325	40
22 x 32 x 1.0	0420 22 321	25

See next page for further assortments and available individual sizes.

Steel Spacing Disk Sets

Format: 20 x 33.5 cm
with 4 punched holes for hanging and fastening.

In three versions with
920 pc. from 8 x 14 to 22 x 32 mm
575 pc. from 24 x 36 to 32 x 44 mm
460 pc. from 34 x 46 to 45 x 62 mm

Stahl spacing disks (shims)

Tolerance according to DIN 522.

Bare steel, cold rolled

- The handy format allows the set to be installed almost anywhere and save space (e.g. on the front sides of small parts racks for dispensing material).
- You can see the current inventory at a glance and so can reorder in good time.

Spacing / compensating disks are used to easily balance out existing tolerances when positioning and securing a shaft, an axle or other machine parts. They can also be used as shim rings in order to reduce to a minimum the normal movement play caused by the production tolerances of retaining rings and rivets.